

Vehicle identification

Vehicle data

| Attribute | Vehicle data |
|-----------------------------|--------------------------------------|
| Vehicle Identification No. | |
| Model | Audi RS3 Sportback Quattro 2.5 A3RS3 |
| Date of production | 17.02.2023 |
| Year | 2023 |
| Sales type | 8YARWY |
| Engine Code | DNWC |
| Equipment | QH |
| Roof color | 6Y |
| Exterior color / Paint Code | 6Y / Z7S |

PR Number

| Attribute | | Description |
|---|-----|--|
| Front stabilizer bar | OAE | Front stabilizer bar |
| Wheelbases | OB1 | Wheelbase |
| Rear stabilizer bar | OBJ | Rear stabilizer bar |
| Installation differentiation for vehicle parts | OEX | Installation differentiation for transmission DQ500 -- vehicle components -- |
| Fuel systems | OF1 | Fuel system f. fuel-injected SI engine, injection system without fuel return, most powerful engine variant |
| Alternative drive system | OK0 | Without alternative drive system |
| Rear axle | ON4 | 4-link rear suspension |
| Tailpipes | OP8 | Exhaust system (exhaust sound) |
| foot mats | OTD | Floor mats in front and rear |
| Climate zones | OY3 | Cold zones |
| Weight category for rear axle | OYG | Weight range 7 installation control only, no requirement forecast |
| Brake systems | 1AQ | Brake control system for vehicles without electric drive (ESC and electromechanical brake booster) |
| Trailer hitch | 1D0 | Without trailer hitch |
| Activated carbon canister/gasoline particulate filter | 1E5 | Activated carbon canister (Evaporative Emission Control System (EVAP)) |
| Identification labels | 1EX | Special identification label for EC for M1 passenger vehicles |
| Spare wheel/breakdown kit | 1G8 | Breakdown kit |

| Attribute | | Description |
|--|-----|--|
| Seat belt reminder | 1I0 | Passenger presence detection |
| Shock absorption in rear | 1JR | Rear shock absorption |
| Rear brakes | 1KF | Disc brakes in rear |
| Front brakes | 1LH | Disc brakes in front |
| Steering system | 1N7 | Dynamic steering |
| Lockable wheel bolts | 1PE | Wheel bolts with anti-theft protection (unlockable) |
| Vehicle tools and jack | 1S3 | Tool kit |
| Front-end underbody cladding | 1SL | Underbody stone guard |
| First aid kit/warning triangle | 1T3 | First aid kit with warning triangle |
| Drive type | 1X1 | Four-wheel drive |
| Fuel filling volume | 1Z2 | Increase in initial standard fuel filling |
| Hybrid drive | 20A | Without electric motor (hybrid) |
| Vehicle class differentiation powertrains/platform parts | 2CH | Vehicle class differentiation -8Y0/8YF- |
| Locking and starting systems | 2F0 | Without locking and starting systems |
| Driving mode selection | 2H6 | "drive select" |
| Bumper | 2JP | Bumper |
| Special labels | 2KR | Labels in English and German |
| Steering wheels | 2PK | Leather-wrapped multi-function sports steering wheel with tiptronic |
| Additional tires (snow tires) | 2WA | Ohne zusätzliche Bereifung |
| Type signs | 2Z0 | Elimination of model designation |
| License plate carrier | 31B | Rear license plate carrier (ECE) |
| Additional child seat anchorage | 3A0 | Child seat anchors for child seat system i-Size, 2x top tether |
| Roof insert/convertible top | 3FA | Without roof insert (standard roof) |
| Backrest release | 3H0 | Without backrest release for front seats |
| Seat adjustment | 3L3 | Manual height adjustment for front seats |
| Rear seats | 3NT | Unsplit rear seat bench, split folding backrest (3 pieces) with center armrest |
| Roof rails/roof rack | 3S0 | Without roof rails/roof load rack |
| Head restraints in rear | 3T2 | 3 rear head restraints |
| seat heater | 4A3 | Seat heater for front seats separately controlled |
| Emission standard | 4BI | Emission standard EU6 AP |
| Closing/opening mechanism tailgate/trunk lid/rear gate | 4E0 | Tailgate/trunk lid unlocking from outside |
| Swerve support/oncoming vehicle braking when turning | 4G3 | With emergency steering support with turn assist |
| Windshield | 4GH | Windshield in heat-insulating glass with sunshield |
| child safety | 4H5 | Power-operated child safety lock |
| Door and tailgate/trunk lid locking mechanism | 4I6 | Central locking system Keyless-Go |
| Breakaway interior rearview mirror | 4L6 | Breakaway interior rearview mirror, auto-dimming |
| Rear floor panel platform module | 4P4 | Rear floor panel module, type 5 |
| Airbag | 4UF | Airbag on driver and front passenger side, without knee airbag, with front passenger airbag deactivation |
| Decorative trims | 4ZP | Decorative trims |
| Wheels | 52U | Alloy wheels 9J x 19 in front, with 8J x 19 in rear |
| Body measures | 5C0 | Without special body measures |
| Carrier frequency for remote control | 5F1 | UWB-capable country and carrier frequency, 433.92 to 434.42 MHz |

| Attribute | | Description |
|--|-----|---|
| Rear spoiler | 5J1 | Rear spoiler |
| Exterior mirrors | 5JA | Exterior mirrors: aspherical on driver side, convex on front passenger side |
| Paint preservation/transport protection | 5K5 | Transport protection film with additional transport protection measures |
| Front spoiler | 5L1 | Front spoiler |
| Head restraints | 5ZF | Front head restraints |
| Fire extinguisher | 6A0 | without fire extinguisher |
| Side airbag | 6C2 | Side airbag in front with curtain airbag and interaction airbag in front |
| Center armrest | 6E3 | Center armrest in front |
| Additional body protective covers, side | 6EA | Without additional side body covers (stone guard) |
| Decorative films/emoles | 6F6 | Emblems |
| Components with special surfaces | 6FJ | Black exterior mirror housings |
| attachment parts with special surface | 6H0 | "Basic" |
| Lane keeping system/traffic jam assist | 6I3 | Lane departure warning |
| Molded headliner | 6NQ | Standard molded headliner |
| Exterior mirror adjustment | 6XI | Ext. mirr., auto-dimming, power-fold./ adjustable, heated, w/ front passenger exterior mirror lowering function |
| Speed alert system/speed limiter | 6Y2 | Speed limiter |
| Charging cable with industrial connector | 73A | Without charging cable (industrial connector) |
| Mode 3 charging cable | 76A | Without mode 3 charging cable |
| Theft protection system | 7AL | Anti-theft alarm system, interior monitoring, backup horn, and towing protection |
| Outlet | 7B3 | 12-volt outlet(s) |
| Thermal energy storage system/auxiliary heater | 7E0 | Without heat accumulator/auxiliary heater |
| Gearshift knob/gearshift handle | 7F9 | Gearshift knob/handle in plastic/leather |
| Leather parts | 7HC | Leather variant 2 |
| Multi-function display/trip computer | 7J3 | Active Info Display - Premium, flat |
| Tire pressure monitoring system | 7K1 | Tire pressure monitoring system |
| Start-stop system/regenerative braking | 7L6 | Start-stop system with regenerative braking |
| Lumbar support in backrests | 7P1 | Power-adjustable lumbar support in front seats |
| Inserts | 7TN | Decorative inserts |
| Navigation system | 7UG | Navigation system - High |
| Extended safety system | 7W0 | No enhanced safety system |
| Park distance control | 7X5 | Park assist |
| Lane change system/lane keeping system | 7Y0 | Without lane change assist |
| Second battery/battery installation | 8FC | Installation of SLI battery in rear, without second battery |
| Light assist systems | 8G4 | Matrix beam |
| Alternators | 8GV | Alternator 180 A |
| Stopping distance reduction system | 8J3 | Forward collision warning with warning and braking reaction to vehicles, pedestrians and cyclists |
| Main headlamps | 8JT | LED headlamps with variable light distribution, darkened |
| Headlight control | 8K1 | Separate daytime running light |
| Wiper and washer system for rear windows | 8M1 | Rear window wiper and washer system with intermittent control |

| Attribute | | Description |
|--|-----|--|
| Intermittent windshield wiper control/ light/rain sensor | 8N6 | Windshield wiper intermittent control with light/rain sensor |
| cruise control system | 8T8 | Adaptive cruise control (with "follow-to-stop") and speed limiter |
| Rear combination lamps | 8VP | LED rear combination lamp, variable lighting functions |
| Headlamp washer system | 8X8 | With headlamp washer system, with washer fluid level indicator |
| Horns | 8Y1 | Two-tone horn |
| Engine cooling | 8Z5 | Not hot country |
| Smoker's/non-smoker's version | 9JA | Non-smoker version |
| Auxiliary heater | 9M0 | Without auxiliary heater/parking heater |
| Additional warning lamps | 9TK | Additional LED warning light (door area) in front and rear |
| Loudspeaker installation | 9VS | Sound package "branded" |
| Telephone/telematics | 9ZV | Comfort telephony without external antenna connection |
| Self pick-up/special control | A00 | No self-collection |
| Manufacturer | A52 | Audi Sport GmbH |
| Equipment lines | A8F | Sports equipment |
| Quality class | AQ0 | Standard-production quality |
| Driving on the left/right side | AV1 | Driving on the right |
| Part set for country-specific prescriptive standards | B0A | Part set without country-specific prescriptive standard |
| General operating license additions | C37 | Operating permit, alteration |
| Engine specification | D4I | 5-cylinder SI engine 2.5 l/294 kW (20V) (R-5) TFSI, homogeneous base engine is TM1/T4W |
| Special editions | E0A | No special edition |
| Eco feature for driver profile and driving mode selection | EF1 | ECO function |
| Regional codes for radio | ER1 | Regional code " ECE " for radio |
| Vehicle inlets | ES0 | Without vehicle inlet |
| Charging cable | EV0 | Without charging cable |
| Vehicle specifications | F0A | No special purpose vehicle, standard equipment |
| Control of production/pre-production | FA0 | Control of series production |
| Variants | FN1 | "RS" version |
| Availability for features on demand | FP1 | Functions-on-demand features online available |
| Audi Sport/ Quattro GmbH | FQ1 | Audi Sport/quattro GmbH wheels |
| N.N.N. | FZ1 | N.N.N. Type 1 |
| Shock absorption in front | G15 | Shock absorption in front |
| Transmission specification | G1D | 7-speed automatic transmission for four-wheel drive |
| Preconditioning | GA0 | Without preconditioning |
| Antenna amplifier | GB0 | Without antenna amplifier |
| Electronic engine sound measures | GM1 | Standard electronic engine sound |
| Sound measures for the vehicle interior (for Audi/Seat only) | GN0 | Without sound measures for the vehicle interior (for Audi/Seat only) |
| Model upgrade measures | GP0 | Vehicles without special upgrade measures |
| Tires 215/45 R16 86V | I86 | Tires 265/30 R19 93Y XL in front, tires 245/35 R19 93Y XL in rear |
| Radios | I8Y | Top infotainment system High (MIB3) |
| Connect package 1 | IT4 | With Connect package 4 |
| Connect package | IU1 | With Connect package 1 |
| Connect package 4 | IW3 | Emergency call service and roadside assistance call |

| Attribute | | Description |
|--|-----|---|
| Engine type | IX1 | SI engine |
| Batteries | J1N | Battery 420 A (75 Ah) |
| Connect package Plus | JE3 | Connect package Plus 13 |
| Body forms | K8R | Sportsback |
| Camera systems/surround sensors | KA2 | With rear view camera system (type 2) |
| Heating system/air conditioning system | KH5 | Climatronic with controls in the rear |
| Refrigerant | KK3 | Kältemittel R1234yf |
| Head-up display | KS0 | Without head-up display |
| Steering system setup | L0L | Left-hand drive |
| Weight category for front axle | L14 | Suspension range 14 installation control only, no requirement forecast |
| Seat trim covers | N7S | Seat trim covers in leather |
| Charging dock | NJ0 | Without charging dock |
| Engine cover | NM1 | Engine cover |
| Transport protection | NT1 | Transit coating (type 2) |
| Control unit for charging system | NW0 | Without control unit for charging system |
| Battery/alternator capacities | NY0 | Standard battery/alternator capacity |
| Call feature | NZ2 | Pan-European emergency call service |
| | PC2 | Brake calipers painted Red |
| | PXC | Matrix LED headlamps, LED rear combination lamps and headlamp washer system |
| Front seats | Q1D | Sports front seats |
| Storage compartment package | QE1 | Storage compartment package 1 |
| LongLife Service Regime | QG1 | LongLife Service Regime |
| Service indicator | QI6 | Service indicator 30 000 km or 2 years (variable) |
| Chrome package | QJ1 | Chrome package |
| Camera/distance sensor | QK1 | With multifunction camera |
| Window type (except for windshield) | QL5 | Dark tinted glass in rear seat area (Venus 35/Privacy) heat-reflecting glass (green) in front |
| Lighting package (lighting) | QQ2 | With additional lights (interior lighting) |
| Compass/road sign display | QR7 | Preparation for dynamic road sign display for function-on-demand feature |
| TV reception/digital radio reception | QV3 | Digitaler Radioempfang |
| Base engine | TM1 | 5-cylinder SI engine 2.5 l unit 07K.4 |
| Dashboard inserts | U5A | Instrument cluster, km/h speedometer |
| Parking brake | UH2 | Parking brake |
| Tire suppliers | V0A | Tires without specification of tire brand |
| Garage door opener | VC0 | Without garage door opener |
| Pedal cluster | VF1 | pedal cluster |
| Scuff plates | VT2 | Scuff plates in door apertures (illuminated) |